

# Safety Data Sheet Terra Prime (TP)

Version: 3.0 / EN  
Revision date: 04.21.2016

www.terrapaveinternational.com  
www.ecoestates.us



---

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

Product name: Terra Prime (TP) - Tack Coat  
Synonyms: None  
Molecular formula: Complex mixture  
Chemical family: Proprietary water based polymers  
Product Use: For industrial use only  
Manufacturer/Supplier: Terra Pave International, Inc.  
PO Box 203904, Austin, Texas 78720 USA  
Telephone Number: 512-655-3550  
Fax: 512-233-0950  
E-Mail : info@ecoestates.us, info@terrapaveinternational.com  
Transport Emergency: CHEMTREC - +1-800-424-9300

---

## SECTION 2: HAZARDS IDENTIFICATION

---

Color: Gray  
Physical State: Liquid  
Form: Dispersion  
Odor: Mild  
GHS-US Classification: Not a hazardous substance or mixture  
GHS-Labeling: Not a hazardous substance or mixture  
Supplemental Information:  
Potential Health Effects: Possible irritation of the respiratory tract, burning sensation of eyes, nose and throat may occur with prolonged exposure, particularly in areas that are not well ventilated. May cause sneezing and coughing.  
Eye Contact: Possible redness or swelling of the eyes if directly in contact.  
Skin Contact: Brief contact is not irritating. Mild irritation may occur due to prolonged contact. Environment: Not harmful to the environment based on available information. Handle in according with good industrial hygiene and safety practice.

---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

---

Composition:

Component:	CAS-No.	OSHA Hazardous
Proprietary Polymers	Proprietary	N
Water	7732-18-5	N

Synonyms: Surfactants, Water  
Stabilizers: Proprietary Hardening Formulations  
Hazard impurities: There are no hazardous ingredients in this product that would require an emergency response

# Safety Data Sheet Terra Prime (TP)

Version: 3.0 / EN  
Revision date: 04.21.2016

www.terrapaveinternational.com  
www.ecoestates.us



---

## SECTION 4: FIRST AID MEASURES

---

Following inhalation: Remove to fresh air. If experiencing breathing problems, contact a physician

Following skin contact: Wash skin with warm soap and water

Following eye contact: Immediately totally flush eyes with water. If experiencing continuing difficulties, obtain medical attention.

Following ingestion: Not determined to be harmful; however, seek medical attention as a precaution

---

## SECTION 5: FIREFIGHTING MEASURES

---

Flash point: N/A

Auto-ignition temperature: N/A

Suitable extinguishing media: Non-flammable (aqueous solution): Possible burning will occur as a result water evaporation and burning of remaining residue. General firefighting materials, including water fog, carbon dioxide, foam, or dry chemical.

Hazardous combustion products: Carbon monoxide and carbon dioxide may be produced in toxic forms when burned in high concentrations.

Protective Equipment: Use prescribed protective equipment for fighting fires involving non-hazardous materials.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

In Case of Spill: Attempt to recover as much spilled material as possible. If spill has occurred at a soil application site, then actions can be taken to collect and incorporate spilled material into originally intended application areas. Soil or other types of absorbent materials can be used to help collect the material. Spills can be flushed with large amounts of water; however do not allow liquids to enter into water systems of any kind, including sewage systems.

Personal Precautions: Recommend that proper chemical handling procedures be observed at all times

---

## SECTION 7: HANDLING AND STORAGE

---

General Handling: Product should be stored indoors in tightly capped drums or containers. Product should be stirred or rotated after every three months of storage to prevent excessive settlement of heavier materials.

Storage Temperature: 45°F to 105°F

Extra: Do not freeze. Shelf life of this material is 9 months if stored properly.

# Safety Data Sheet Terra Prime (TP)

Version: 3.0 / EN  
Revision date: 04.21.2016

www.terrapaveinternational.com  
www.ecoestates.us



---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

Respiratory Protection: See precautions listed above. Exposure through skin is minimal in terms of overall exposure.  
Eye Protection: Safety glasses or goggles, as appropriate  
Protective Gloves: Use if extended exposure to hands is anticipated. Polyvinyl gloves are not recommended.  
Engineering Controls: Product is designed for use in open air areas. If used in enclosed areas, ensure that adequate ventilation is available.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

Appearance  
Color: Gray  
Physical State: Liquid  
Form: Dispersion  
Odor: Mild  
pH: 4.0 – 6.5  
Flash point: N/A  
Density: 0.998 g/cm<sup>3</sup> (68 F (20 C))  
Specific Gravity  
(Relative density): 0.95 – 1.10 Water=1 (liquid)  
Vapor Pressure: 17.535mmHg (68 F (20 C))  
Relative Vapor Density: 0.6 (Method: Literature) (Air = 1.0)  
Vapor Density: No data available  
Boiling point/  
Boiling range: 212 F (100 C)  
Freezing Point: 32 F (0 C)

---

## SECTION 10: STABILITY AND REACTIVITY

---

Stability: This material is chemically stable under normal and anticipated storage, handling and processing conditions  
Hazardous Reactions: Hazardous Polymerization does not occur

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

Acute toxicity  
Practical experience /  
Human evidence: Information on analogous products indicates toxicity levels well within most acceptable standards. There is no evidence that this composition has caused cancer in humans. Contact manufacturer for more detailed information. This product does not contain alkyl phenol ethoxylate (APE) surfactants or vinyl acetate components.

# Safety Data Sheet Terra Prime (TP)

Version: 3.0 / EN  
Revision date: 04.21.2016

www.terrapaveinternational.com  
www.ecoestates.us



---

## SECTION 12: ECOLOGICAL INFORMATION

---

Environmental Fate: Not toxic to fish or plants.  
Non-biodegradable.  
Not RCRA hazardous.  
Analogous materials indicate ecotoxicological information is well within most acceptable standards.

Ecotoxicity: Toxicity to aquatic organisms is almost undetectable on an acute basis.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

Waste Disposal Method: Return to manufacturer or dispose in accordance with applicable Federal, State and local requirements and applicable environmental regulations. Empty containers can be returned to manufacturer or should be recycled or disposed of through an approved waste management facility.

Disposal Considerations: Product is not biodegradable and is not RCRA hazardous.

---

## SECTION 14: TRANSPORT INFORMATION

---

International Harmonization  
Code: 3906.90.00.00/2803.00.00.00 liquid polymers in primary form.  
U.S. D.O.T.: Not regulated.  
IMDG: Not regulated.

---

## SECTION 15: REGULATORY INFORMATION

---

There are no components of this product that are specifically listed as hazardous substances in 40 CFR 302.4 at levels which could require reporting.

---

## SECTION 16: OTHER INFORMATION

---

Terra Pave International states that the information contained herein (including data and statements) are accurate as of the date hereof. **No warranty for any particular purpose, warranty of merchantability, or any other warranty expressed or implied is made concerning the information provided herein.** It is disclaimed any and all liability as to any results obtained or arising from any use of the product or reliance on such information. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process.

Tack coat apply at rate of 0.05 - 0.13 gal/sqyd depending on the surface. Clean surface of all loose materials, dirt, and dust. Best to apply only when air and ground temperature is 50 degree F and rising. Do not apply if rain is expected within eight hours. Other uses include prime, dust control and seed mulch treatment.